




TECHNICAL SPECIFICATION

Larch


We source Siberian Larch. It is a competitively priced softwood with a moderate durability which you do not have to chemically treat for external use, this makes it a good natural cladding material. Like standard Scandinavian Redwood it has a moderate knot content but it's density means it will work externally either with or without a finish.



Larix sibirica
Density: 750Kg/M3

<p>01 Contemporary Shiplap</p> <p>Finished size: 20mm x 143mm Cover size: 126mm</p>	
<p>02 Vertical Cladding</p> <p>Finished size: 20mm x 143mm Cover size: 126mm</p>	
<p>03 Rain Screen Cladding</p> <p>Finished size: 20mm x 143mm Cover size: 143mm</p>	
<p>04 Shadow Gap Vertical Cladding</p> <p>Finished size: 20mm x 143mm Cover size: 126mm</p>	

01




Drawing No.
12745

Details
Contemporary Shiplap
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

02

Drawing No.
12744




Details
Vertical Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

03


Drawing No.
12742



Details
Rain screen Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

04



Drawing No.
12743

Details
Shadow Gap Vertical Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood